

Company Profile

Sealing Machine

specialized manufacturer on strong base



Greeting




Hello.

We have a long experience in manufacturing tools. I have experience in OEM production not only in Korea but also in the United States, Germany, and Iran. In addition, we have conducted consulting on manufacturing facilities, equipment, and tools throughout the manufacturing industry in Iran.

WOJINID Co.,Ltd hopes to be your partner.

If you want a high-quality product with excellent technology and competitive advantage, please contact us anytime. Thank you.

Business Field



Medical devices

Implant
Instrument



orthopedics, dentistry, etc
Surgical implants



Industrial machinery

Production of
dedicated machinery



Dedicated Machine
Order Production



Industrial components

automobile parts
precision mechanical components



main precision parts
of a mechanical device



Product production

Produce and sell
your own products



Sealing machine, Wire twist tool
Bolt chamfer, Pipe expander

연혁

History

- 2016**
 - Establishment of WOJINID Co.,Ltd
 - Establishment of research department
 - Businesses with Management Innovation
 - ISO9001 Certified
 - Certification of venture companies

- 2018**
 - Gyeonggi-do Certification of promising SME

- 2020**
 - Capital increase (200 million won)

- 2021**
 - Relocation of business establishment (Gwangjeok-myeon, Yangju-si, Gyeonggi-do)

Foodie®

Sealing machine [FD-TW1]



Product Features

- * A manual machine that puts the contents into a packaging container and then seals the packaging film
- * Low power consumption
- * Temperature controllable
- * Using a double heater
- * low price
- * It is mainly used in the delivery specialist such as porridge, side dish shop

Product specification

| | |
|--------------|--|
| Size | Vertical 462 * Horizontal 210 * Height 510 |
| Weight | 11kg |
| Power supply | 220V, 60Hz, 450W |
| Material | Iron, Aluminum |
| Basic mold | 1913, 1915 |
| Sealing film | Horizontal 150mm * Vertical 200m |

How to use the product




Film loading



Heating (first 6 to 10 minutes)



Mold mountin



Container mounting



Hold the handle



Complete

Foodie®

Sealing machine [FD-TW2]



Product Features

- * neat food packaging
- * Temperature controllable
- * Film fixing roller processing
- * Use a polishing knife
- * Use silicone coated handle
- * Using Cartridge Heater
- * Low power consumption
- * Low price
- * Basic Mold Delivery - Replaceable Mold

Product specification

| | |
|--------------|--|
| Size | Vertical 462 * Horizontal 210 * Height 510 |
| Weight | 11kg |
| Power supply | 220V, 60Hz, 450W |
| Material | Iron, Aluminum, Plastic |
| Basic mold | 1913, 1915 |
| Sealing film | Horizontal 150,160mm * Vertical 200m |

* A manual machine that puts the contents into a packaging container and then seals the packaging film

* It is mainly used in the delivery specialist such as porridge, side dish shop

How to use the product




Film loading



Heating (first 6 to 10 minutes)



Mold mountin



Container mounting



Hold the handle



Complete

Foodie®

Sealing machine [FD-TW3]



Product Features

- * neat food packaging
- * Temperature controllable
- * Film fixing roller processing
- * Use a polishing knife
- * Use silicone coated handle
- * Using Cartridge Heater
- * Low power consumption
- * low price
- * Basic Mold Delivery - Replaceable Mold
- * It is mainly used in the delivery specialist such as porridge, side dish shop



Product specification

| | |
|--------------|--|
| Size | Vertical 530 * Horizontal 290 * Height 450 |
| Weight | 22kg |
| Power supply | 220V, 60Hz, 450W |
| Material | Iron, Aluminum, Plastic |
| Basic mold | 1913, 1915, 2319 |
| Sealing film | Horizontal 150mm * Vertical 200m Horizontal 160mm * Vertical 200m Horizontal 245mm * Vertical 200m |


* A manual machine that puts the contents into a packaging container and then seals the packaging film

How to use

1. Check the used power (220V), and turn on the power after connecting the plug.
2. Heat up the hot plate to the proper temperature by turning the temperature control handle and use the machine when the light of the green lamp goes out. (It takes about 6~10 minutes for the initial heating of the hot plate according to the environment.)
3. Open the cover and fix the container to the mold.
4. Film Installation- Put the film on the central area of the roller while paying attention to the direction of the film, and insert it between the film fixing board in front, then pull it until the container is fully covered.
5. Hold the handle and press it for 1~3 seconds with constant force according to the features of the container and film.
6. Lift the handle and pull out the packed container and cool it in the air for more than 1 minute.
7. Turn off the power switch when it is not in use.
8. Film direction and how to exchange the fuse



Names of each area





WOOJINID CO.,LTD

22-17, Geurugogae-ro, Gwangjeok-myeon, Yangju-si, Gyeonggi-do, Korea

TEL +82 31-829-0687 FAX +82 31-829-0697