

### Expanding Globally with Unique Technology

Committed to Quality Improvement and Customer Satisfaction













### A Company that Grows With Its Customers Welcome to Chunha Co., Ltd.

Founded in 2000, Chunha Co., Ltd. specializes in the manufacturing of special-purpose vehicles and ladder-truck repair services. Over the years, we have steadily grown by earning the trust of our customers through our quality, safety, and after-sales service.

With our unique technology, we are committed to providing high-quality products and continuously improving to enhance quality and ensure customer satisfaction.

Company Name: Chunha Co., Ltd.

CEO: Kang Hee-Gon

Address: 9, Baekgu Industrial Complex 2-gil, Baekgu-myeon, Gimje-si, Jeollabuk-do

Special Self-Governing Province, South Korea

Website: http://www.Chunha.com Established: March 25, 2011

Industry Classification: Special-purpose vehicle manufacturing Main Products: High-altitude ladder trucks, aerial work platforms,

mobile bathing vehicles, camping cars



			the state of	72.2	17.5
	2000. 03.	Established "Chunha Special Equipment"	2015. 10.	Acquired INNO BIZ certification	
	2007. 03.	Registered as an automobile manufacturer	2017.05.	Acquired CE certification	5
	2010.09.	ISO 9001:2008 / KS Q ISO 9001:2009 Quality Management System Certification	2017.07.	Established a corporate research institute	
	2011. 03.	Converted to a corporation (Chunha Co., Ltd.)	2017.11.	Signed a \$3 million export contract with Turkey	
	2012. 03.	First to export CHL-38M (2.5-ton) Model No. 1 to Japan	2017.12.	Received the Million-Dollar Export Tower Award	THE REAL PROPERTY.
	2013. 04.	Established an R&D department	2018.01.	Signed an export contract with Hong Kong	
	2013. 08.	Exported CHL-22M to Japan	2018.07.	Selected as a Promising SME for Export	900
	2013.11.	Exported CHL-28M to China	2018. 12.	Received the Three Million-Dollar Export Tower A	ward
	2014. 05.	Acquired MAN BIZ certification	2021.06.	Signed an export contract with Italy	
	2015. 01.	Exported CHL-838 / CHL-845 to Israel	2021.10.	Recognized as a Promising SME in Jeollabuk-do	1 2
	2015. 02.	Signed a \$2 million export contract with Israel	2022. 06.	Designated as a Star Enterprise in Jeollabuk-do	1
02				THE P	NEDEL

Working height	25m	92.51	Overall height	2 <u>.</u> 660m
Number of floors	8 <del>-</del> 9 floors		Overall length	5 <u>.</u> 315m
Boom	6 stages	kg	Working load	400kg
Outrigger	F 3.600m R 3.600m		Platform	1.3×1×0.52m Expansion 24×1.54m

Model | KIA Bongolli 1TON LPG



MAIN PRODUCTS

CHL 625A

<u> </u>					
	Working height	38m		Overall height	3 <u>.</u> 140m
	Number of floors	14-15 floors		Overall length	6 <u>.</u> 095m
	Boom	9 stages	kg .	Working load	400kg
	Outrigger	F 5.380m R 5.380m		Platform	1.3×1×0.52m Expansion 24×1.54m

Model | HYUNDAI 2,5TON Mighty EX7,5



MAIN PRODUCTS

# CHL \* 938H



<u> </u>						
	Working height	45m	92.51	Overall height	3 <u>.</u> 300m	
	Number of floors	s 16–17 floors		Overall length	7 <u>.</u> 070m	
	Boom	9 stages	kg .	Working load	400kg	
7	Outrigger	F 6.050m R 6.080m		Platform	1.3×1×0.52m Expansion 2.4×1.54m	

Model | HYUNDAI 3.5TON Mighty EX8.0



MAIN PRODUCTS

# CHL 945H

Product Specifications

	Working height	45m		Overall height	3 <u>.</u> 300m
	Number of floors	s 16–17 floors		Overall length	6 <u>.</u> 760m
	Boom	10 stages	kg	Working load	400kg
	Outrigger	F 6.100m R 6.100m		Platform	1.3×1×0.52m Expansion 2.4×1.54m

Model | HYUNDAI 3,5TON Mighty EX10,3





Working height	52m		Overall height	3 <u>.</u> 220m
Number of floors	18–19 floors		Overall length	7 <u>.</u> 770m
Boom	10 stages	kg .	Working load	400kg
Outrigger	F 6.240m R 6.240m		Platform	1.3×1×0.52m Expansion 2.4×1.54m

Model | HYUNDAI 3,5TON Mighty EX10,3



Working height	65m	92.51	Overall height	3 <u>.</u> 650m
Number of floors	24-25 floors		Overall length	10,105m
Boom	9 stages	kg	Working load	450kg
Outrigger	F 6.915m R 6.915m		Platform	1.3×1×0.52m Expansion 24×1.54m

Model | HYUNDAI 5TON Parvis EX15.5 (300HP)





<u> </u>					
	Working height	65m	92.51	Overall height	3 <u>.</u> 720m
	Number of floors	24-25 floors		Overall length	10 <u>.</u> 150m
	Boom	10 stages	kg	Working load	450kg
<b>J</b>	Outrigger	F 6.915m R 6.915m		Platform	1.3×1×0.52m Expansion 24×1.54m

Model | HYUNDAI 5TON Parvis EX17.5 (325HP)



### BASIC OPTION |



Full aluminum panel application



Wire detachment prevention (1 ton only)



Low-noise wheels



Adjustable extendable ladder



Automatic boom expansion & retraction



Auxiliary outriggers(1052,965,1065)



### SELECT OPTION I

#### Down car system





#### Dump





#### Automatic beam slide expansion (1 ton only).







Standard equipment



Black



Red color options

Gray **GS Caltex**  Navy

	Working height	19m	92.61	Overall height	2 <u>.</u> 450m
	Number of floors	6-7 floors		Overall length	5 <u>.</u> 550m
	Boom	5 stages	kg	Working load	300kg
<u></u>	Outrigger	L 4.270m W 3.400m		Platform	1.32×0.5×1m Expansion 24×1.54m

Model | KIA Bongolli 1TON LPG





# CH 205B







#### Working radius \_









#### Characteristic .



Reducer Individual adjustment device



Load moment indicator e Display



All-chain system



Horizontal LED lights



SUS Hydraulic reel

	Working height	22m	92.6	Overall height	2 <u>.</u> 560m
	Number of floors	7–8 floors		Overall length	5 <u>.</u> 865m
	Boom	7 stages	kg	Working load	400kg
7	Outrigger	L 5.100m W 5.850m		Platform	1,65×0,48×1,1m Expansion 3,04×0,85×1,1n

Model | HYUNDAI 2,5TON Mighty EX7.5




CH 240










### Working radius \_









#### Characteristic



Reducer Individual adjustment device



Load moment indicator
Display



All-chain system



Horizontal LED lights



SUS Hydraulic reel

П	Working height	31m		Overall height	3 <u>.</u> 130m
9 I	Working height			Overall rieignt	0,100111
	Number of floors	12-13 floors		Overall length	6 <u>.</u> 020m
	Boom	8 stages	kg	Working load	400kg
<u> </u>	Outrigger	L 6.400m W 5.380m		Platform	1.65×0.485×1.1m Expansion 3.04×0.85×1.1m

Model | HYUNDAI 3,5TON GVW EX10,3 Short Body




CH 328










### Working radius









#### Characteristic



Reducer Individual adjustment device



Load moment indicator
Display



All-chain system



Horizontal LED lights



SUS Hydraulic reel

	Working height	34m	92.51	Overall height	3 <u>.</u> 240m	
	Number of floors	14-15 floors		Overall length	6 <u>.</u> 785m	
	Boom	8 stages	kg	Working load	400kg	
7	Outrigger	L 7,350m W 6,270m		Platform	1,65×0,435×1,1m Expansion 3,04×0,85×1,1n	

Model | HYUNDAI 3,5TON GVW EX10,3 Long Body




CH 350










### Working radius









#### Characteristic



Reducer Individual adjustment device



Load moment indicator e Display



All-chain system



Horizontal LED lights



SUS Hydraulic reel

### Product Specifications -

Height	Length	Width	Gross weight	Water tank capacity
2 <u>.</u> 770m	5 <u>.</u> 500m	1,775m	2,905kg	550L



MAIN PRODUCTS

# CHPY 550A















Camping-car door insect screen included)

Folding / 2-step stairs

Custom-built bathtub

Additional lower-storage compartments



Double-glazed windows (insect screen included)

User-friendly control panel

Spacious interior

#### Characteristic

#### Idle-free power system





GSP Lithium Iron Phosphate (LiFePO4) Battery: 192A Provides up to 11 hours of usage without idling Saves approximately 2.4 million KRW in fuel annually (10,000 KRW/day \* 20 days/month \* 12 months)

#### AC/DC Pumps Installed



Users can choose their preferred pump Can be replaced if necessary

#### **Electronic Battery Meter**



Displays the battery charge level, remaining capacity, and available usage time

#### Freshwater Gauge





Two types of gauges: hose gauge and freshwater gauge Monitors freshwater levels both indoors and outdoors

Height	Length	Width	Gross weight	Seating capacity
2,800m	5 <u>.</u> 590m	2 <u>.</u> 120m	2,800kg	5 seats



MONDO F-35















#### Characteristic



Outriggers installed



600W Solar panels installed



600A Lithium Iron Phosphate battery

#### Nationwide A/S Service Center



